Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Discrete Mathematics 290 (2005) 313–327
DISCRETE MATHEMATICS
www.elsevier.com/locate/disc

Master index to volumes 281–290

Abbott, H.L. and D.R. Hare, The set of values of b for which there exist block designs with b blocks	290 (2005)	275–282
Abderrezzak, M.E.K. and E. Flandrin, New sufficient conditions for bipancyclic bipartite graphs	286 (2004)	5– 13
Adamczak, I., D.L. Kreher and R.S. Rees, Tight incomplete block designs	284 (2004)	11– 20
Adams, P., D. Bryant, J. Lefevre and M. Waterhouse, Some equitably 3-colourable cycle decompositions	284 (2004)	21– 35
Adams, P., M. Mahdian and E.S. Mahmoodian, On the forced matching numbers of bipartite graphs	281 (2004)	1– 12
Aguglia, A. and A. Bonisoli, On the non-existence of a projective plane of order 15 with an A_4-invariant oval	288 (2004)	1– 7
Albert, M.H., R.E.L. Aldred, M.D. Atkinson, H.P. van Ditmarsch, C.C. Handley and D.A. Holton, Restricted permutations and queue jumping	287 (2004)	129–133
Aldred, R.E.L. and C. Thomassen, Graphs with not all possible path-kernels	285 (2004)	297–300
Aldred, R.E.L., D.A. Holton, D. Lou and N. Zhong, Characterizing $2k$-critical graphs and n-extendable graphs	287 (2004)	135–139
Aldred, R.E.L., see M.H. Albert	287 (2004)	129–133
Alekseev, V.E., D.V. Korobitsyn and V.V. Lozin, Boundary classes of graphs for the dominating set problem	285 (2004)	1– 6
Algaba, E., J.M. Bilbao, R. van den Brink and A. Jiménez-Losada, Cooperative games on antimatroids	282 (2004)	1– 15
Anthony , M., Partitioning points by parallel planes	282 (2004)	17– 21
Araya, M. and M. Harada, MDS codes over $\mathbb{F}_9$ related to the ternary Golay code	282 (2004)	233–237
Archdeacon, D. and M. Debowsky, A characterization of projective-planar signed graphs	290 (2005)	109–116
Archdeacon, D., C.P. Bonnington and J. Širáň, Halin's theorem for cubic graphs on an annulus	281 (2004)	13– 25
Archdeacon, D., M. Debowsky, J. Dinitz and H. Gavlas, Cycle systems in the complete bipartite graph minus a one-factor	284 (2004)	37– 43
Ashe, D.J., H.L. Fu and C.A. Rodger, A solution to the forest leave problem for partial 6-cycle systems	281 (2004)	27– 41
Atkinson, M.D., see M.H. Albert	287 (2004)	129–133
Baik, Y.-G., see M.-Y. Xu	287 (2004)	113–119
Balbuena, C. and P. Garcia-Vázquez, Edge-connectivity in P_k-path graphs	286 (2004)	213–218
Balbuena, C., see X. Marcote	288 (2004)	113–123
Balińska, K.T., S.K. Simić and K.T. Zwierzyński, Which non-regular bipartite integral graphs with maximum degree four do not have ± 1 as eigenvalues?	286 (2004)	15– 24
Bang-Jensen, J., The structure of strong arc-locally semicomplete digraphs	283 (2004)	1– 6
Barequet, G., The on-line Heilbronn's triangle problem	283 (2004)	7– 14
Bassino, F., J. Clžment and C. Nicaud, The standard factorization of Lyndon words: an average point of view	290 (2005)	1– 25
Bennett, F.E. and H. Zhang, Latin Squares with Self-Orthogonal Conjugates	284 (2004)	45– 55

0012-365X/04/$ - see front matter
doi:10.1016/S0012-365X(05)00041-5

Berman, D.R., S.C. McLaurin and D.D. Smith, Ranking whist players 283 (2004) 15– 28
Bermond, J.-C., C.J. Colbourn, A.C.H. Ling and M.-L. Yu, Grooming in unidirectional rings: $K_4 - e$ designs 284 (2004) 57– 62
Berrizbeitia, P. and R.E. Giudici, On cycles in the sequence of unitary Cayley graphs 282 (2004) 239–243
Biedl, T., E.D. Demaine, C.A. Duncan, R. Fleischer and S.G. Kobourov, Tight bounds on maximal and maximum matchings 285 (2004) 7– 15
Bilbao, J.M., see E. Algaba 282 (2004) 1– 15
Billington, E.J., The extended metamorphosis of a complete bipartite design into a cycle system 284 (2004) 63– 70
Blinco, A., S.I. El-Zanati and C. Vanden Eynden, On the cyclic decomposition of complete graphs into almost-bipartite graphs 284 (2004) 71– 81
Bogstad, B. and L.J. Cowen, The distinguishing number of the hypercube 283 (2004) 29– 35
Boland, J., F. Buckley and M. Miller, Eccentric digraphs 286 (2004) 25– 29
Bolla, M. and G. Molnár-Sáska, Optimization problems for weighted graphs and related correlation estimates 282 (2004) 23– 33
Bollobás, B. and V. Nikiforov, Graphs and Hermitian matrices: eigenvalue interlacing 289 (2004) 119–127
Bollobás, B. and V. Nikiforov, Hermitian matrices and graphs: singular values and discrepancy 285 (2004) 17– 32
Bonisoli, A., see A. Aguglia 288 (2004) 1– 7
Bonnington, C.P., see D. Archdeacon 281 (2004) 13– 25
Boros, E., V. Gurvich, S. Jaslar and D. Krasner, Stable matchings in three-sided systems with cyclic preferences 289 (2004) 1– 10
Borowiecka-Olszewska, M., E. Drgas-Burchardt and P. Mihók, Minimal vertex Ramsey graphs and minimal forbidden subgraphs 286 (2004) 31– 36
Borowiecki, M.x., M. Hałuszczak and E. Sidorowicz, On Ramsey minimal graphs 286 (2004) 37– 43
Bose, P., M. Smid and D.R. Wood, Light edges in degree-constrained graphs 282 (2004) 35– 41
Bouyukliev, I., M. Grassl and Z. Varbanov, New bounds for $n_4(k,d)$ and classification of some optimal codes over GF(4) 281 (2004) 43– 66
Bouyuklieva, S., Some optimal self-orthogonal and self-dual codes 287 (2004) 1– 10
Brändén, P., q-Narayana numbers and the flag h-vector of $J(\mathbf{2} \times \mathbf{n})$ 281 (2004) 67– 81
Brandstädt, A., C.T. Hoàng and J.-M. Vanherpe, On minimal prime extensions of a four-vertex graph in a prime graph 288 (2004) 9– 17
Brešar, B., On subgraphs of Cartesian product graphs and S-primeness 282 (2004) 43– 52
Broersma, H.J., see L. Xiong 285 (2004) 279–288
Brown, J.I., C.A. Hickman and R.J. Nowakowski, The k-fractal of a simplicial complex 285 (2004) 33– 45
Bryant, D., B. Maenhaut, K. Quinn and B.S. Webb, Existence and embeddings of partial Steiner triple systems of order ten with cubic leaves 284 (2004) 83– 95
Bryant, D., see P. Adams 284 (2004) 21– 35
Buckley, F., see J. Boland 286 (2004) 25– 29
Buckley, P.G. and D. Osthus, Popularity based random graph models leading to a scale-free degree sequence 282 (2004) 53– 68
Bullock, F., see J.E. Dunbar 289 (2004) 145–155
Burger, A.P. and J.H. van Vuuren, Ramsey numbers in complete balanced multipartite graphs. Part I: Set numbers 283 (2004) 37– 43
Burger, A.P. and J.H. van Vuuren, Ramsey numbers in complete balanced multipartite graphs. Part II: Size numbers 283 (2004) 45– 49

Čada, R., T. Kaiser, M. Rosenfeld and Z. Ryjáček, Hamiltonian decompositions of prisms over cubic graphs 286 (2004) 45– 56
Cagaanan, G.B. and S.R. Canoy Jr., On the hull sets and hull number of the cartesian product of graphs 287 (2004) 141–144
Canoy Jr., S.R., see G.B. Cagaanan 287 (2004) 141–144

Cao, H. and B. Du, Kirkman packing designs KPD $(\{w,s^*\},v)$ and related threshold schemes 281 (2004) 83– 95
Cardinali, I., N. Durante, T. Penttila and R. Trombetti, Bruen chains over fields of small order 282 (2004) 245–247
Carlson, J. and D. Stolarski, The correct solution to Berlekamp's switching game 287 (2004) 145–150
Carnes, N.P., A. Dye and J.F. Reed, The spectrum of bicyclic antiautomorphisms of directed triple systems 281 (2004) 97–114
Cavenagh, N., D. Donovan and A. Drápal, Constructing and deconstructing latin trades 284 (2004) 97–105
Chandrashekara, B.M. see Padmavathamma,
Chang An, F. Tian and A. Yu, On the index of bicyclic graphs with perfect matchings 283 (2004) 51– 59
Changat, M. and J. Mathew, Induced path transit function, monotone and Peano axioms 286 (2004) 185–194
Changat, M., H.M. Mulder and G. Sierksma, Convexities related to path properties on graphs 290 (2005) 117–131
Chapman, R., A probabilistic proof of the Andrews–Gordon identities 290 (2005) 79– 84
Chartrand, G., L. Nebesky and P. Zhang, On hamiltonian colorings of graphs 290 (2005) 133–143
Chebikin, D., On k-edge-ordered graphs 281 (2004) 115–128
Chen, M.-J., D. Kuo and J.-H. Yan, The bandwidth sum of join and composition of graphs 290 (2005) 145–163
Chen, X., Q. Lin and F. Zhang, The number of spanning trees in odd valent circulant graphs 282 (2004) 69– 79
Chen, X.E., On the largest eigenvalues of trees 285 (2004) 47– 55
Chen, X.-g., L. Sun and H.-m. Xing, Characterization of graphs with equal domination and connected domination numbers 289 (2004) 129–135
Chen, Y., Y. Zhang and K. Zhang, The Ramsey numbers of paths versus wheels 290 (2005) 85– 87
Chen, Z., On k-pairable graphs 287 (2004) 11– 15
Choie, Y.J. and P. Solé, Ternary codes and Jacobi forms 282 (2004) 81– 87
Clžment, J., see F. Bassino 290 (2005) 1– 25
Coker , C., A family of eigensequences 282 (2004) 249–250
Colbourn, C.J., see J.-C. Bermond 284 (2004) 57– 62
Cordovil, R., D. Forge and S. Klein, How is a chordal graph like a supersolvable binary matroid? 288 (2004) 167–172
Cowen, L.J., see B. Bogstad 283 (2004) 29– 35
Czygrinow, A. and B. Nagle, Bounding the strong chromatic index of dense random graphs 281 (2004) 129–136
Czygrinow, A. and B. Nagle, Strong edge colorings of uniform graphs 286 (2004) 219–223

Dankelmann, P., G.S. Domke, W. Goddard, P. Grobler, J.H. Hattingh and H.C. Swart, Maximum sizes of graphs with given domination parameters 281 (2004) 137–148
Danziger, P., E. Mendelsohn and G. Quattrocchi, On the chromatic index of path decompositions 284 (2004) 107–121
Das, K.Ch., Maximizing the sum of the squares of the degrees of a graph 285 (2004) 57– 66
Das, K.Ch. and P. Kumar, Some new bounds on the spectral radius of graphs 281 (2004) 149–161
Daskalov, R. and E. Metodieva, The nonexistence of ternary [105,6,68] and [230,6,152] codes 286 (2004) 225–232
de Mello, C.P., see F. Larrión 282 (2004) 183–191
Deabay, E., see N. Sieben 290 (2005) 61– 78
Debowsky, M., see D. Archdeacon 284 (2004) 37– 43
Debowsky, M., see D. Archdeacon 290 (2005) 109–116
Delorme, C., I. Marquez, O. Ordaz and A. Ortuño, Existence conditions for barycentric sequences 281 (2004) 163–172
Demaine, E.D., see T. Biedl 285 (2004) 7– 15

Deutsch, E., Ordered trees with prescribed root degrees, node degrees, and branch lengths 282 (2004) 89–94
Di Nola, A. and R. Grigolia, Pro-finite MV-spaces 283 (2004) 61–69
Ding, S., see X. Zhao 281 (2004) 295–307
Dinitz, J., see D. Archdeacon 284 (2004) 37–43
Domke, G.S., see P. Dankelmann 281 (2004) 137–148
Dong, F.M., The largest non-integer real zero of chromatic polynomials of graphs with fixed order 282 (2004) 103–112
Dong, F.M. and K.M. Koh, On upper bounds for real roots of chromatic polynomials 282 (2004) 95–101
Donovan, D., see N. Cavenagh 284 (2004) 97–105
Došlić, T., D. Svrtan and D. Veljan, Enumerative aspects of secondary structures 285 (2004) 67–82
Drápal, A., see N. Cavenagh 284 (2004) 97–105
Drgas-Burchardt, E., see M. Borowiecka-Olszewska 286 (2004) 31–36
Dror, G., A. Lev and Y. Roditty, A note: some results in step domination of trees 289 (2004) 137–144
Du, B., The spectrum of optimal strong partially balanced designs with block size five 288 (2004) 19–28
Du, B., see H. Cao 281 (2004) 83–95
Du, B., see J. Wang 283 (2004) 283–287
Dunbar, J.E., M. Frick and F. Bullock, Path partitions and P_n-free sets 289 (2004) 145–155
Duncan, C.A., see T. Biedl 285 (2004) 7–15
Durante, N., see I. Cardinali 282 (2004) 245–247
Dye, A., see N.P. Carnes 281 (2004) 97–114

Ebert, G.L., Quasimultiples of geometric designs 284 (2004) 123–129
Eckhoff, J., A new Turán-type theorem for cliques in graphs 282 (2004) 113–122
El Haddad, M., Y. Manoussakis and R. Saad, Upper bounds for the forwarding indices of communication networks 286 (2004) 233–240
Ellis-Monaghan, J.A., Exploring the Tutte–Martin connection 281 (2004) 173–187
El Sahili, A., Paths with two blocks in k-chromatic digraphs 287 (2004) 151–153
Elzinga, R.J., D.A. Gregory and K.N.V. Meulen, Addressing the Petersen graph 286 (2004) 241–244
El-Zanati, S.I., see A. Blinco 284 (2004) 71–81
Eu, S.-P., S.-C. Liu and Y.-N. Yeh, Odd or even on plane trees 281 (2004) 189–196

Faudree, R.J., R.J. Gould, M.S. Jacobson, L. Lesniak and A. Saito, Toughness, degrees and 2-factors 286 (2004) 245–249
Fayers, M., Multiple-elimination knockout tournaments with the fixed-win property 290 (2005) 89–97
Fijavž, G. and B. Mohar, Rigidity and separation indices of Paley graphs 289 (2004) 157–161
Fischermann, M., W. Knoben, D. Kremer and D. Rautenbach, Competition polysemy 282 (2004) 251–255
Fischermann, M., W. Knoben, D. Kremer and D. Rautenbach, The solution of two problems on bound polysemy 282 (2004) 257–261
Fitzgerald, R.W. and J.L. Yucas, Pencils of quadratic forms over finite fields 283 (2004) 71–79
Flandrin, E., H. Li, A. Marczyk and M. Woźniak, A note on pancyclism of highly connected graphs 286 (2004) 57–60
Flandrin, E., see M.E.K. Abderrezzak 286 (2004) 5–13
Flaxman, A.D., A sharp threshold for a random constraint satisfaction problem 285 (2004) 301–305
Fleischer, R., see T. Biedl 285 (2004) 7–15
Fletcher, R.J., C. Koukouvinos and J. Seberry, New skew-Hadamard matrices of order $4 \cdot 59$ and new D-optimal designs of order $2 \cdot 59$ 286 (2004) 251–253

Forge, D., see R. Cordovil 288 (2004) 167–172
Fossorier, M., J. Ježek, J.B. Nation and A. Pogel, Ordinary graphs and subplane partitions 282 (2004) 137–148
Frías-Armenta, M.E., V. Neumann-Lara and M.A. Pizaña, Dismantlings and iterated clique graphs 282 (2004) 263–265
Frick, M., see J.E. Dunbar 289 (2004) 145–155
Fu, C.-M., H.-L. Fu and C.A. Rodger, Decomposing $K_m \cup P$ into triangles 284 (2004) 131–136
Fu, C.-M., W.-C. Huang, Y.-H. Shih and Y.-J. Yaon, Totally symmetric latin squares with prescribed intersection numbers 282 (2004) 123–136
Fu, H.-L. and S.-L. Wu, Cyclically decomposing the complete graph into cycles 282 (2004) 267–273
Fu, H.L., see D.J. Ashe 281 (2004) 27– 41
Fu, H.-L., see C.-M. Fu 284 (2004) 131–136
Fu, H.-L., see R. Su 284 (2004) 235–245
Fujisaki, T., A construction of amorphous association scheme from a pseudo-cyclic association scheme 285 (2004) 307–311

Galeana-Sánchez, H. and R. Rojas-Monroy, A counterexample to a conjecture on edge-coloured tournaments 282 (2004) 275–276
Galeana-Sánchez, H. and R. Rojas-Monroy, On monochromatic paths and monochromatic 4-cycles in edge coloured bipartite tournaments 285 (2004) 313–318
Gao, W.D. and X. Jin, Weighted sums in finite cyclic groups 283 (2004) 243–247
García-Vázquez, P., see C. Balbuena 286 (2004) 213–218
Gargano, L., M. Hammar, P. Hell, L. Stacho and U. Vaccaro, Spanning spiders and light-splitting switches 285 (2004) 83– 95
Gavlas, H., see D. Archdeacon 284 (2004) 37– 43
Ge, G. and A.C.H. Ling, Group divisible designs with block size four and group type $g^u m^1$ for small g 285 (2004) 97–120
Gerlach, T., Toughness and Hamiltonicity of a class of planar graphs 286 (2004) 61– 65
Gionfriddo, M. and G. Quattrocchi, Colouring 4-cycle systems with equitably coloured blocks 284 (2004) 137–148
Gionfriddo, M., L. Milazzo, A. Rosa and V. Voloshin, Bicolouring Steiner systems $S(2, 4, v)$ 283 (2004) 249–253
Giudici, R.E., see P. Berrizbeitia 282 (2004) 239–243
Glebov, A.N., A.V. Kostochka and V.A. Tashkinov, Smaller planar triangle-free graphs that are not 3-list-colorable 290 (2005) 269–274
Goddard, W., T.W. Haynes, M.A. Henning and L.C. van der Merwe, The diameter of total domination vertex critical graphs 286 (2004) 255–261
Goddard, W., see P. Dankelmann 281 (2004) 137–148
Göring, F., J. Harant, E. Hexel and Z. Tuza, On short cycles through prescribed vertices of a graph 286 (2004) 67– 74
Görlich, A., M. Pilśniak, M. Woźniak and I.A. Zioło, A note on embedding graphs without short cycles 286 (2004) 75– 77
Górska, J., Z.x. Skupień, Z. Majcher and J. Michael, A smallest irregular oriented graph containing a given diregular one 286 (2004) 79– 88
Gould, R.J., see R.J. Faudree 286 (2004) 245–249
Grabisch, M., The Möbius transform on symmetric ordered structures and its application to capacities on finite sets 287 (2004) 17– 34
Grannell, M.J. and V.P. Korzhik, Nonorientable biembeddings of Steiner triple systems 285 (2004) 121–126
Grassl, M., see I. Bouyukliev 281 (2004) 43– 66
Grech, M. and A. Kisielewicz, Direct product of automorphism groups of colored graphs 283 (2004) 81– 86
Greene, J.E., Chromatic capacities of graphs and hypergraphs 281 (2004) 197–207
Greferath, M. and M.E. O'Sullivan, On bounds for codes over Frobenius rings under homogeneous weights 289 (2004) 11– 24

Gregory, D.A., see R.J. Elzinga 286 (2004) 241–244
Grigolia, R., see A. Di Nola 283 (2004) 61– 69
Grobler, P., see P. Dankelmann 281 (2004) 137–148
Grynkiewicz, D.J., On four color monochromatic sets with nondecreasing diameter 290 (2005) 165–171
Grytczuk, J., Another variation on Conway's recursive sequence 282 (2004) 149–161
Guenin, B., D. Mubayi and P. Tetali, A family of switch equivalent graphs 288 (2004) 29– 35
Gulliver, T.A. and P.R.J. Östergård, Binary optimal linear rate 1/2 codes 283 (2004) 255–261
Gulliver, T.A., M. Harada and J.-L. Kim, Erratum to "Construction of new extremal self-dual codes" [Discrete Mathematics 263 (2003) 81–91] 289 (2004) 207–207
Gurvich, V., see E. Boros 289 (2004) 1– 10
Gutin, G. and A. Rafiey, When n-cycles in n-partite tournaments are longest cycles 289 (2004) 163–168

Haas, R. and T.B. Wexler, Signed domination numbers of a graph and its complement 283 (2004) 87– 92
Hackmann, A. and A. Kemnitz, The circular chromatic index 286 (2004) 89– 93
Häggkvist, R. and R. Johansson, A note on edge-decompositions of planar graphs 283 (2004) 263–266
Hahn, G., P. Ille and R.E. Woodrow, Absorbing sets in arc-coloured tournaments 283 (2004) 93– 99
Hajdu, A. and L. Hajdu, Approximating the Euclidean distance using non-periodic neighbourhood sequences 283 (2004) 101–111
Hajdu, L., see A. Hajdu 283 (2004) 101–111
Hałuszczak, M., see M.x. Borowiecki 286 (2004) 37– 43
Hammar, M., see L. Gargano 285 (2004) 83– 95
Handley, C.C., see M.H. Albert 287 (2004) 129–133
Harada, M., see M. Araya 282 (2004) 233–237
Harada, M., see T.A. Gulliver 289 (2004) 207–207
Harant, J., On paths and cycles through specified vertices 286 (2004) 95– 98
Harant, J., see F. Göring 286 (2004) 67– 74
Harary, F. and D. Ranjan, Identity orientation of complete bipartite graphs 290 (2005) 173–182
Hare, D.R., see H.L. Abbott 290 (2005) 275–282
Hartman, A. and L. Raskin, Problems and algorithms for covering arrays 284 (2004) 149–156
Hasunuma, T., Y. Kikuchi, T. Mori and Y. Shibata, On the number of cycles in generalized Kautz digraphs 285 (2004) 127–140
Hattingh, J.H., see P. Dankelmann 281 (2004) 137–148
Havet, F., Stable set meeting every longest path 289 (2004) 169–173
Haynes, T.W., M.A. Henning and L. Hopkins, Total domination subdivision numbers of trees 286 (2004) 195–202
Haynes, T.W., see W. Goddard 286 (2004) 255–261
He, W., J. Wu and X. Zhu, Relaxed game chromatic number of trees and outerplanar graphs 281 (2004) 209–219
Hell, P. and J.J. Montellano-Ballesteros, Polychromatic cliques 285 (2004) 319–322
Hell, P., see L. Gargano 285 (2004) 83– 95
Hellwig, A. and L. Volkmann, Sufficient conditions for λ'-optimality in graphs of diameter 2 283 (2004) 113–120
Henning, M.A., Restricted total domination in graphs 289 (2004) 25– 44
Henning, M.A. and J.E. Maritz, Stratification and domination in graphs II 286 (2004) 203–211
Henning, M.A., see T.W. Haynes 286 (2004) 195–202
Henning, M.A., see W. Goddard 286 (2004) 255–261
Herzog, M., G. Kaplan and A. Lev, Representation of permutations as products of two cycles 285 (2004) 323–327
Hexel, E., see F. Göring 286 (2004) 67– 74
Hickman, C.A., see J.I. Brown 285 (2004) 33– 45
Higasikawa, M., There is no universal countable random-free graph 282 (2004) 277–279

Hilton, A.J.W. and M. Johnson, Amalgamations of factorizations of complete equipartite graphs 284 (2004) 157–175
Hoàng, C.T., see A. Brandstädt 288 (2004) 9– 17
Hoede, C., see L. Wang 283 (2004) 231–241
Hoffman, D.G., The real truth about star designs 284 (2004) 177–180
Hoffman, D.G., see C.A. Rodger 284 (2004) 1– 7
Holt, F.B., Blending simple polytopes at faces 285 (2004) 141–150
Holton, D.A., see M.H. Albert 287 (2004) 129–133
Holton, D.A., see R.E.L. Aldred 287 (2004) 135–139
Honkala, J. and M. Rigo, Decidability questions related to abstract numeration systems 285 (2004) 329–333
Hopkins, L., see T.W. Haynes 286 (2004) 195–202
Horak, P., R. Nedela and A. Rosa, The Hamilton–Waterloo problem: the case of Hamilton cycles and triangle-factors 284 (2004) 181–188
Horňák, M. and S. Jendrol', Preface 286 (2004) 1– 1
Hosseini Dolama, M., Éric Sopena and X. Zhu, Incidence coloring of k-degenerated graphs 283 (2004) 121–128
Hsiao, H.K., S.S. Yu and Y.-K. Zhao, Word-paired catenations of regular languages 287 (2004) 35– 43
Huang, T. and C.-w. Weng, Pooling spaces and non-adaptive pooling designs 282 (2004) 163–169
Huang, W.-C., see C.-M. Fu 282 (2004) 123–136
Hudry, A., Injective envelope and parallel decomposition of a transition system 289 (2004) 45– 61
Hurd, S.P. and D.G. Sarvate, Odd and even group divisible designs with two groups and block size four 284 (2004) 189–196
Hyun, J.Y. and H.K. Kim, The poset structures admitting the extended binary Hamming code to be a perfect code 288 (2004) 37– 47

Ille, P., see G. Hahn 283 (2004) 93– 99

Jacobson, M.S., see R.J. Faudree 286 (2004) 245–249
Jamison, R.E. and H.M. Mulder, Constant tolerance intersection graphs of subtrees of a tree 290 (2005) 27– 46
Jaslar, S., see E. Boros 289 (2004) 1– 10
Javanian, M., H. Mahmoud and M. Vahidi-Asl, Paths in m-ary interval trees 287 (2004) 45– 53
Jendrol', S., see M. Horňák 286 (2004) 1– 1
Ježek, J., see M. Fossorier 282 (2004) 137–148
Ji, L., On the 3BD-closed set $B_3(\{4,5\})$ 287 (2004) 55– 67
Jianguo, L., see Y. Yuansheng 289 (2004) 107–118
Jiménez-Losada, A., see E. Algaba 282 (2004) 1– 15
Jin, X., see W.D. Gao 283 (2004) 243–247
Johansson, R., see R. Häggkvist 283 (2004) 263–266
Johnson, M., see A.J.W. Hilton 284 (2004) 157–175
Jones, S. and D. Schaal, Two-color Rado numbers for $x+y+c=kz$ 289 (2004) 63– 69

Kaiser, T., see R. Čada 286 (2004) 45– 56
Kano, M., G.Y. Katona and Z. Király, Packing paths of length at least two 283 (2004) 129–135
Kanovich, M., Finding direct partition bijections by two-directional rewriting techniques 285 (2004) 151–166
Kaplan, G., see M. Herzog 285 (2004) 323–327
Katona, G.Y., see M. Kano 283 (2004) 129–135
Kawarabayashi, K.-i., Rooted minor problems in highly connected graphs 287 (2004) 121–123
Keedwell, A.D. and G.L. Mullen, Sets of partially orthogonal latin squares and projective planes 288 (2004) 49– 60

Keedwell, A.D. and V.A. Shcherbacov, Construction and properties of (r,s,t). II 288 (2004) 61– 71
Kemnitz, A., see A. Hackmann 286 (2004) 89– 93
Kerivin, H. and A.R. Mahjoub, On survivable network polyhedra 290 (2005) 183–210
Key, J.D., J. Moori and B.G. Rodrigues, Binary codes from graphs on triples 282 (2004) 171–182
Kikuchi, Y., see T. Hasunuma 285 (2004) 127–140
Killian , C.E. and C.D. Savage, Antipodal Gray codes 281 (2004) 221–236
Kim, D.C., see D.S. Kim 287 (2004) 155–160
Kim, D.S. and D.C. Kim, Character sums and MacWilliams identities 287 (2004) 155–160
Kim, H.K., see J.Y. Hyun 288 (2004) 37– 47
Kim, J.-L., see T.A. Gulliver 289 (2004) 207–207
Király, Z., see M. Kano 283 (2004) 129–135
Kisielewicz, A., see M. Grech 283 (2004) 81– 86
Klein, S., see R. Cordovil 288 (2004) 167–172
Knoben, W., see M. Fischermann 282 (2004) 251–255
Knoben, W., see M. Fischermann 282 (2004) 257–261
Kobeissi, M. and M. Mollard, Disjoint cycles and spanning graphs of hypercubes 288 (2004) 73– 87
Kobourov, S.G., see T. Biedl 285 (2004) 7– 15
Koh, K.M., see F.M. Dong 282 (2004) 95–101
Korobitsyn, D.V., see V.E. Alekseev 285 (2004) 1– 6
Korzhik, V.P., see M.J. Grannell 285 (2004) 121–126
Kostochka, A.V., see A.N. Glebov 290 (2005) 269–274
Koukouvinos, C., see R.J. Fletcher 286 (2004) 251–253
Král', D., Hajós' theorem for list coloring 287 (2004) 161–163
Král', D., J. Kratochvíl and H.-J. Voss, Mixed hypercacti 286 (2004) 99–113
Krasner, D., see E. Boros 289 (2004) 1– 10
Kratochvíl, J., see D. Král' 286 (2004) 99–113
Kreher, D.L., see I. Adamczak 284 (2004) 11– 20
Kremer, D., see M. Fischermann 282 (2004) 251–255
Kremer, D., see M. Fischermann 282 (2004) 257–261
Kumar, P., see K.Ch. Das 281 (2004) 149–161
Kuo, D. and J.-H. Yan, On $L(2,1)$-labelings of Cartesian products of paths and cycles 283 (2004) 137–144
Kuo, D., see M.-J. Chen 290 (2005) 145–163

Larrión, F., C.P. de Mello, A. Morgana, V. Neumann-Lara and M.A. Pizaña, The clique operator on cographs and serial graphs 282 (2004) 183–191
Larrión, F., V. Neumann-Lara, M.A. Pizaña and T.D. Porter, A hierarchy of self-clique graphs 282 (2004) 193–208
Lefevre, J., see P. Adams 284 (2004) 21– 35
Lefevre, J.G., Steiner trade spectra of complete partite graphs 288 (2004) 89– 98
Lemos, M., Elements belonging to triads in 3-connected matroids 285 (2004) 167–181
Lepović, M., On integral graphs which belong to the class $\overline{\alpha K_a \cup \beta K_{b,b}}$ 285 (2004) 183–190
Lesniak, L., see R.J. Faudree 286 (2004) 245–249
Lev, A., see M. Herzog 285 (2004) 323–327
Lev, A., see G. Dror 289 (2004) 137–144
Levy, D., Injectivity and surjectivity of Collatz functions 285 (2004) 191–199
Li, H. and J. Shu, The partition of a strong tournament 290 (2005) 211–220
Li, H., see E. Flandrin 286 (2004) 57– 60
Li, J., A new degree condition for graphs to have [a,b]-factor 290 (2005) 99–103
Li, M., see L. Xiong 285 (2004) 279–288
Li, R., Hamiltonicity of 2-connected $\{K_{1,4}, K_{1,4}+e\}$-free graphs 287 (2004) 69– 76
Li, R., Hamiltonicity of 2-connected quasi-claw-free graphs 283 (2004) 145–150
Li, X. and B. Zhao, Isomorphisms of P_k-graphs for $k \geqslant 4$ 289 (2004) 71– 80
Li, X., see H. Zhao 281 (2004) 277–294

Li, X., see L. Wang	283 (2004)	231–241
Li, X., see L. Xiong	285 (2004)	279–288
Li, X., see J. Wu	287 (2004)	103–111
Lin, Q., see X. Chen	282 (2004)	69– 79
Ling, A.C.H., see J.-C. Bermond	284 (2004)	57– 62
Ling, A.C.H., see G. Ge	285 (2004)	97–120
Liskovets, V.A. and T.R.S. Walsh, Enumeration of eulerian and unicursal planar maps	282 (2004)	209–221
Liu, D.D.-F., Circular chromatic number for iterated Mycielski graphs	285 (2004)	335–340
Liu, R., H. Zhao and C. Ye, A complete solution to a conjecture on chromatic uniqueness of complete tripartite graphs	289 (2004)	175–179
Liu, R., see H. Zhao	281 (2004)	277–294
Liu, S., see H. Mao	289 (2004)	187–192
Liu, S.-C., see S.-P. Eu	281 (2004)	189–196
Liu, Y., Characterizations of maximum matching graphs of certain types	290 (2005)	283–289
Lo Faro, G. and A. Tripodi, Triplication for BSTSs and uncolourability	284 (2004)	197–203
Loebl, M., J. Matoušek and O. Pangrác, Triangles in random graphs	289 (2004)	181–185
Lou, D., A. Saito and L. Teng, A note on internally disjoint alternating paths in bipartite graphs	290 (2005)	105–108
Lou, D., see R.E.L. Aldred	287 (2004)	135–139
Lozin, V. and D. Rautenbach, Chordal bipartite graphs of bounded tree- and clique-width	283 (2004)	151–158
Lozin, V.V., see V.E. Alekseev	285 (2004)	1– 6
Luyckx, D. and J.A. Thas, Locally hermitian 1-systems of $Q^+(7,q)$	282 (2004)	223–231
Ma, H. and H. Ren, σ-polynomials	285 (2004)	341–344
Madaras, T. and R. Škrekovski, Heavy paths, light stars, and big melons	286 (2004)	115–131
Maenhaut, B., see D. Bryant	284 (2004)	83– 95
Mahdian, M., see P. Adams	281 (2004)	1– 12
Mahjoub, A.R., see H. Kerivin	290 (2005)	183–210
Mahlburg, K., The overpartition function modulo small powers of 2	286 (2004)	263–267
Mahmoodian, E.S., see P. Adams	281 (2004)	1– 12
Mahmoud, H., see M. Javanian	287 (2004)	45– 53
Majcher, Z., see J. Górska	286 (2004)	79– 88
Mamut, A., D.A. Pike and M.E. Raines, Pancyclic BIBD block-intersection graphs	284 (2004)	205–208
Manoussakis, Y., see M. El Haddad	286 (2004)	233–240
Mansilla, S.P., Infinite families of non-Cayley vertex-transitive tournaments	288 (2004)	99–111
Mao, H. and S. Liu, Factorization theorem for strong maps	289 (2004)	187–192
Maqsood, T., see Q. Mushtaq	290 (2005)	47– 59
Marcote, X., C. Balbuena and I. Pelayo, Diameter, short paths and superconnectivity in digraphs	288 (2004)	113–123
Marczyk, A., On the structure of the set of cycle lengths in a hamiltonian graph	286 (2004)	133–140
Marczyk, A., see E. Flandrin	286 (2004)	57– 60
Maritz, J.E., see M.A. Henning	286 (2004)	203–211
Marquez, I., see C. Delorme	281 (2004)	163–172
Martin, N., Unbalanced star-factorisations of complete bipartite graphs	283 (2004)	159–165
Martini, H. and V. Soltan, Antipodality properties of finite sets in Euclidean space	290 (2005)	221–228
Maruta, T., The nonexistence of some ternary linear codes of dimension 6	288 (2004)	125–133
Mathew, J., see M. Changat	286 (2004)	185–194
Mathon, R. and A.P. Street, Mixed partitions of sets of triples into small planes	284 (2004)	209–215
Matoušek, J., see M. Loebl	289 (2004)	181–185
Maze, G., Partitions modulo n and circulant matrices	287 (2004)	77– 84
McGee, J.W. and C.A. Rodger, Embedding coverings of 2-paths with 3-paths	284 (2004)	217–223

McKee, T.A., Biclique comparability digraphs of bipartite graphs and minimum ranks of partial matrices 287 (2004) 165–170
McLaurin, S.C., see D.R. Berman 283 (2004) 15– 28
McSorley, J.P. and T.D. Porter, Generating sequences of clique-symmetric graphs via Eulerian digraphs 287 (2004) 85– 91
Mellinger, K.E., Classical mixed partitions 283 (2004) 267–271
Mendelsohn, E., see P. Danziger 284 (2004) 107–121
Meng, J., see B. Wu 289 (2004) 95–106
Metodieva, E., see R. Daskalov 286 (2004) 225–232
Meulen, K.N.V., see R.J. Elzinga 286 (2004) 241–244
Michael, J., see J. Górska 286 (2004) 79– 88
Michalak, D., Domination, independence and irredundance with respect to additive induced-hereditary properties 286 (2004) 141–146
Mihók, P. and I. Schiermeyer, Cycle lengths and chromatic number of graphs 286 (2004) 147–149
Mihók, P., see M. Borowiecka-Olszewska 286 (2004) 31– 36
Milazzo, L., see M. Gionfriddo 283 (2004) 249–253
Milici, S., Coverings of a complete graph with five-vertex and five-edge graphs 284 (2004) 225–229
Miller, M., see J. Boland 286 (2004) 25– 29
Mohar, B., see G. Fijavž 289 (2004) 157–161
Mollard, M., see M. Kobeissi 288 (2004) 73– 87
Molnár-Sáska, G., see M. Bolla 282 (2004) 23– 33
Montellano-Ballesteros, J.J., see P. Hell 285 (2004) 319–322
Moori, J., see J.D. Key 282 (2004) 171–182
Morgana, A., see F. Larrión 282 (2004) 183–191
Mori, T., see T. Hasunuma 285 (2004) 127–140
Mphako, E.G., H-lifts of tangential k-blocks 285 (2004) 201–210
Mubayi, D., see B. Guenin 288 (2004) 29– 35
Mulder, H.M., see R.E. Jamison 290 (2005) 27– 46
Mulder, H.M., see M. Changat 290 (2005) 117–131
Mullen, G.L., see A.D. Keedwell 288 (2004) 49– 60
Munemasa, A. and V.D. Tonchev, A new quasi-symmetric 2-(56,16,6) design obtained from codes 284 (2004) 231–234
Mushtaq, Q. and T. Maqsood, Homomorphic images of $\Delta(2,3,11)$ 290 (2005) 47– 59

Nagle, B., see A. Czygrinow 281 (2004) 129–136
Nagle, B., see A. Czygrinow 286 (2004) 219–223
Nakamoto, A., S. Negami and K. Ota, Chromatic numbers and cycle parities of quadrangulations on nonorientable closed surfaces 285 (2004) 211–218
Natarajan, R., A bijection between certain non-crossing partitions and sequences 286 (2004) 269–275
Nation, J.B., see M. Fossorier 282 (2004) 137–148
Nebeský, L., Intervals and steps in a connected graph 286 (2004) 151–156
Nebesky, L., see G. Chartrand 290 (2005) 133–143
Nedela, R., see P. Horak 284 (2004) 181–188
Negami, S., see A. Nakamoto 285 (2004) 211–218
Neumann-Lara, V., see F. Larrión 282 (2004) 183–191
Neumann-Lara, V., see F. Larrión 282 (2004) 193–208
Neumann-Lara, V., see M.E. Frías-Armenta 282 (2004) 263–265
Nicaud, C., see F. Bassino 290 (2005) 1– 25
Nikiforov, V., see B. Bollobás 285 (2004) 17– 32
Nikiforov, V., see B. Bollobás 289 (2004) 119–127
Nowakowski, R.J., see J.I. Brown 285 (2004) 33– 45

Ordaz, O., see C. Delorme 281 (2004) 163–172
Ortuño, A., see C. Delorme 281 (2004) 163–172

Östergård, P.R.J., see T.A. Gulliver 283 (2004) 255–261
O'Shea, E., *M*-partitions: optimal partitions of weight for one scale pan 289 (2004) 81– 93
Osthus, D., see P.G. Buckley 282 (2004) 53– 68
Ostrovskii, M.I., Minimal congestion trees 285 (2004) 219–226
O'Sullivan, M.E., see M. Greferath 289 (2004) 11– 24
Ota, K., see A. Nakamoto 285 (2004) 211–218

Padmavathamma, R. Raghavendra and B.M. Chandrashekara, A new bijective proof of a partition theorem of K. Alladi 287 (2004) 125–128
Pan, H., A congruence of Lucas' type 288 (2004) 173–175
Pangrác, O., see M. Loebl 289 (2004) 181–185
Pelayo, I., see X. Marcote 288 (2004) 113–123
Peng, Y.-l., Some new results on chromatic uniqueness of K_4-homeomorphs 288 (2004) 177–183
Penttila, T., see I. Cardinali 282 (2004) 245–247
Peters, C. and L. Volkmann, Vertex 6-pancyclic in-tournaments 285 (2004) 227–238
Pike, D.A., see A. Mamut 284 (2004) 205–208
Pilśniak, M., see A. Görlich 286 (2004) 75– 77
Pióro, K., On some graph problem in the theory of partial algebras—Part I 283 (2004) 167–187
Pióro, K., On some graph problem in the theory of partial algebras—Part II 283 (2004) 189–204
Pisanski, T., T.W. Tucker and A. Žitnik, Straight-ahead walks in Eulerian graphs 281 (2004) 237–246
Pizaña, M.A., see F. Larrión 282 (2004) 183–191
Pizaña, M.A., see F. Larrión 282 (2004) 193–208
Pizaña, M.A., see M.E. Frías-Armenta 282 (2004) 263–265
Plummer, M.D. and X. Zha, On the *p*-factor-criticality of the Klein bottle 287 (2004) 171–175
Pogel, A., see M. Fossorier 282 (2004) 137–148
Polat, N., Fixed finite subgraph theorems in infinite weakly modular graphs 285 (2004) 239–256
Porter, T.D., see F. Larrión 282 (2004) 193–208
Porter, T.D., see J.P. McSorley 287 (2004) 85– 91
Priesler (Moreno), M. and M. Tarsi, On some multigraph decomposition problems and their computational complexity 281 (2004) 247–254

Quattrocchi, G., see P. Danziger 284 (2004) 107–121
Quattrocchi, G., see M. Gionfriddo 284 (2004) 137–148
Quinn, K., see D. Bryant 284 (2004) 83– 95
Quistorff, J., A new nonexistence result for sharply multiply transitive permutation sets 288 (2004) 185–186
Quistorff, J., Slight improvements of the Singleton bound 286 (2004) 277–283

Rafiey, A., see G. Gutin 289 (2004) 163–168
Raghavendra, R. see Padmavathamma, 287 (2004) 125–128
Raines, M.E., see A. Mamut 284 (2004) 205–208
Ramras, M., Minimum cutsets in hypercubes 289 (2004) 193–198
Ranjan, D., see F. Harary 290 (2005) 173–182
Raskin, L., see A. Hartman 284 (2004) 149–156
Rautenbach, D., see M. Fischermann 282 (2004) 251–255
Rautenbach, D., see M. Fischermann 282 (2004) 257–261
Rautenbach, D., see V. Lozin 283 (2004) 151–158
Reed, J.F., see N.P. Carnes 281 (2004) 97–114
Rees, R.S., see I. Adamczak 284 (2004) 11– 20
Ren, H., see H. Ma 285 (2004) 341–344
Renault, J., View-obstruction: a shorter proof for 6 lonely runners 287 (2004) 93–101
Rigo, M., see J. Honkala 285 (2004) 329–333
Roddy, M.S. and B.S.W. Schröder, Isotone relations revisited 290 (2005) 229–248
Rodger, C.A. and D.G. Hoffman, Preface 284 (2004) 1– 7

Rodger, C.A., see D.J. Ashe 281 (2004) 27– 41
Rodger, C.A., see J.W. McGee 284 (2004) 217–223
Rodger, C.A., see C.-M. Fu 284 (2004) 131–136
Roditty, Y., see G. Dror 289 (2004) 137–144
Rodrigues, B.G., see J.D. Key 282 (2004) 171–182
Rojas-Monroy, R., see H. Galeana-Sánchez 282 (2004) 275–276
Rojas-Monroy, R., see H. Galeana-Sánchez 285 (2004) 313–318
Rosa, A., see M. Gionfriddo 283 (2004) 249–253
Rosa, A., see P. Horak 284 (2004) 181–188
Rosenfeld, M., see R. Čada 286 (2004) 45– 56
Ryjáček, Z., see R. Čada 286 (2004) 45– 56

Saad, R., see M. El Haddad 286 (2004) 233–240
Saito, A., see R.J. Faudree 286 (2004) 245–249
Saito, A., see D. Lou 290 (2005) 105–108
Sanchis, L.A., Relating the size of a connected graph to its total and restricted domination numbers 283 (2004) 205–216
Sarvate, D.G., see S.P. Hurd 284 (2004) 189–196
Savage, C.D., see C.E. Killian 281 (2004) 221–236
Schaal, D., see S. Jones 289 (2004) 63– 69
Schiermeyer, I., Rainbow numbers for matchings and complete graphs 286 (2004) 157–162
Schiermeyer, I., see P. Mihók 286 (2004) 147–149
Schröder, B.S.W., see M.S. Roddy 290 (2005) 229–248
Seberry, J., see R.J. Fletcher 286 (2004) 251–253
Semanišin, G., Minimal reducible bounds for induced-hereditary properties 286 (2004) 163–170
Sendrier, N., Linear codes with complementary duals meet the Gilbert–Varshamov bound 285 (2004) 345–347
Shcherbacov, V.A., see A.D. Keedwell 288 (2004) 61– 71
Shen, H., see R. Su 284 (2004) 235–245
Shibata, Y., see T. Hasunuma 285 (2004) 127–140
Shih, Y.-H., see C.-M. Fu 282 (2004) 123–136
Shiu, W.C., Invariant factors of graphs associated with hyperplane arrangements 288 (2004) 135–148
Shu, J., see H. Li 290 (2005) 211–220
Sidorowicz, E., see M.x. Borowiecki 286 (2004) 37– 43
Sieben, N. and E. Deabay, Polyomino weak achievement games on 3-dimensional rectangular boards 290 (2005) 61– 78
Sierksma, G., see M. Changat 290 (2005) 117–131
Sim, H.-S., see M.-Y. Xu 287 (2004) 113–119
Simić, S.K., see K.T. Balińska 286 (2004) 15– 24
Sinclair, P.A., On removable even circuits in graphs 286 (2004) 177–184
Sinclair, P.A., Upon the removal of the edges of a 1-factor from an even circuit in a 2-connected graph 286 (2004) 171–175
Širáň, J., see D. Archdeacon 281 (2004) 13– 25
Škrekovski, R., see T. Madaras 286 (2004) 115–131
Skupień, Z.x., see J. Górska 286 (2004) 79– 88
Smid, M., see P. Bose 282 (2004) 35– 41
Smith, D.D., see D.R. Berman 283 (2004) 15– 28
Solé, P., see Y.J. Choie 282 (2004) 81– 87
Soltan, V., see H. Martini 290 (2005) 221–228
Sopena, Éric, see M. Hosseini Dolama 283 (2004) 121–128
Šparl, P. and J. Žerovnik, Homomorphisms of hexagonal graphs to odd cycles 283 (2004) 273–277
Stacho, L., see L. Gargano 285 (2004) 83– 95
Stehlík, M., A generalisation of matching and colouring 285 (2004) 257–265
Stevanović , D., Bipartite density of cubic graphs: the case of equality 283 (2004) 279–281
Stolarski, D., see J. Carlson 287 (2004) 145–150

Street, A.P., see R. Mathon 284 (2004) 209–215
Su, R., H.-L. Fu and H. Shen, Embeddings of maximum packings in triple systems 284 (2004) 235–245
Sun, L., see X.-g. Chen 289 (2004) 129–135
Sun, Y., The statistic "number of *udu*'s" in Dyck paths 287 (2004) 177–186
Svrtan, D., see T. Došlić 285 (2004) 67– 82
Swart, H.C., see P. Dankelmann 281 (2004) 137–148

Talbot, J., A new Bollobás-type inequality and applications to t-intersecting families of sets 285 (2004) 349–353
Tan, B.P., On the kings and kings-of-kings in semicomplete multipartite digraphs 290 (2005) 249–258
Tarsi, M., see M. Priesler (Moreno) 281 (2004) 247–254
Tashkinov, V.A., see A.N. Glebov 290 (2005) 269–274
Teng, L., see D. Lou 290 (2005) 105–108
Teranishi, Y., The number of spanning forests of a graph 290 (2005) 259–267
Tetali, P., see B. Guenin 288 (2004) 29– 35
Thas, J.A., see D. Luyckx 282 (2004) 223–231
Thomassen, C., see R.E.L. Aldred 285 (2004) 297–300
Tian, F., A short proof of Fan's theorem 286 (2004) 285–286
Tian, F., see An Chang 283 (2004) 51– 59
Tomescu, I., Sunflower hypergraphs are chromatically unique 285 (2004) 355–357
Tonchev, V.D., see A. Munemasa 284 (2004) 231–234
Traldi, L., Parallel connections and coloured Tutte polynomials 290 (2005) 291–299
Tripodi, A., see G. Lo Faro 284 (2004) 197–203
Trombetti, R., see I. Cardinali 282 (2004) 245–247
Tucker, T.W., see T. Pisanski 281 (2004) 237–246
Tuza, Z., see F. Göring 286 (2004) 67– 74

Vaccaro, U., see L. Gargano 285 (2004) 83– 95
Vahidi-Asl, M., see M. Javanian 287 (2004) 45– 53
van den Brink, R., see E. Algaba 282 (2004) 1– 15
Vanden Eynden, C., see A. Blinco 284 (2004) 71– 81
van der Merwe, L.C., see W. Goddard 286 (2004) 255–261
van Ditmarsch, H.P., see M.H. Albert 287 (2004) 129–133
Vanherpe, J.-M., see A. Brandstädt 288 (2004) 9– 17
van Vuuren, J.H., see A.P. Burger 283 (2004) 37– 43
van Vuuren, J.H., see A.P. Burger 283 (2004) 45– 49
Varbanov, Z., see I. Bouyukliev 281 (2004) 43– 66
Veljan, D., see T. Došlić 285 (2004) 67– 82
Volkmann, L., All regular multipartite tournaments that are cycle complementary 281 (2004) 255–266
Volkmann, L., Hamiltonian paths containing a given arc, in almost regular bipartite tournaments 285 (2004) 359–364
Volkmann, L., The Petersen graph is not 1-factorable: postscript to 'The Petersen graph is not 3-edge-colorable—a new proof' [Discrete Math. 268 (2003) 325–326] 287 (2004) 193–194
Volkmann, L. and A. Yeo, Hamiltonian paths, containing a given path or collection of arcs, in close to regular multipartite tournaments 281 (2004) 267–276
Volkmann, L. and S. Winzen, Almost regular multipartite tournaments containing a Hamiltonian path through a given arc 285 (2004) 267–278
Volkmann, L. and S. Winzen, Cycles through a given arc and certain partite sets in almost regular multipartite tournaments 283 (2004) 217–229
Volkmann, L., see A. Hellwig 283 (2004) 113–120
Volkmann, L., see C. Peters 285 (2004) 227–238

Voloshin, V., see M. Gionfriddo 283 (2004) 249–253
Voss, H.-J., see D. Král' 286 (2004) 99–113

Walsh, T.R.S., see V.A. Liskovets 282 (2004) 209–221
Wang, H., Vertex-disjoint quadrilaterals in graphs 288 (2004) 149–166
Wang, J. and B. Du, $K_{p,q}$-factorization of the complete bipartite graph $K_{m,n}$ 283 (2004) 283–287
Wang, L., X. Li and C. Hoede, Integral complete r-partite graphs 283 (2004) 231–241
Wang, L., see J. Wu 287 (2004) 103–111
Wang, T., see X. Zhao 281 (2004) 295–307
Wang, Y.Q., Super restricted edge-connectivity of vertex-transitive graphs 289 (2004) 199–205
Waterhouse, M., see P. Adams 284 (2004) 21– 35
Webb, B.S., see D. Bryant 284 (2004) 83– 95
Weng, C.-w., see T. Huang 282 (2004) 163–169
Wexler, T.B., see R. Haas 283 (2004) 87– 92
Winzen, S., see L. Volkmann 283 (2004) 217–229
Winzen, S., see L. Volkmann 285 (2004) 267–278
Wood, D.R., see P. Bose 282 (2004) 35– 41
Woodrow, R.E., see G. Hahn 283 (2004) 93– 99
Woźniak, M., see E. Flandrin 286 (2004) 57– 60
Woźniak, M., see A. Görlich 286 (2004) 75– 77
Wu, B. and J. Meng, Hamiltonian jump graphs 289 (2004) 95–106
Wu, B., see L. Zhang 283 (2004) 289–293
Wu, J., X. Li and L. Wang, Removable edges in a cycle of a 4-connected graph 287 (2004) 103–111
Wu, J., see W. He 281 (2004) 209–219
Wu, S.-L., see H.-L. Fu 282 (2004) 267–273

Xiaohui, L., see Y. Yuansheng 289 (2004) 107–118
Xin, G., Proof of a conjecture on the slit plane problem 282 (2004) 281–287
Xin, H., see Y. Yuansheng 289 (2004) 107–118
Xing, H.-m., see X.-g. Chen 289 (2004) 129–135
Xiong, L., H.J. Broersma, X. Li and M. Li, The hamiltonian index of a graph and its branch-bonds 285 (2004) 279–288
Xu, M.-Y., Y.-G. Baik and H.-S. Sim, Arc-transitive circulant digraphs of odd prime-power order 287 (2004) 113–119

Yan, J.-H., see D. Kuo 283 (2004) 137–144
Yan, J.-H., see M.-J. Chen 290 (2005) 145–163
Yaon, Y.-J., see C.-M. Fu 282 (2004) 123–136
Ye, C., see R. Liu 289 (2004) 175–179
Yeh, Y.-N., see S.-P. Eu 281 (2004) 189–196
Yeo, A., see L. Volkmann 281 (2004) 267–276
Young, P.T., Degenerate and n-adic versions of Kummer's congruences for values of Bernoulli polynomials 285 (2004) 289–296
Yu, A., see An Chang 283 (2004) 51– 59
Yu, M.-L., see J.-C. Bermond 284 (2004) 57– 62
Yu, S.S., see H.K. Hsiao 287 (2004) 35– 43
Yuansheng, Y., L. Xiaohui, L. Jianguo and H. Xin, The crossing number of $C(n;\{1,3\})$ 289 (2004) 107–118
Yucas, J.L., see R.W. Fitzgerald 283 (2004) 71– 79
Yuster, R., The number of edge-disjoint transitive triples in a tournament 287 (2004) 187–191

Zannetti, M., q^2+q+1-caps of class $[0,1,2,3,q+1]_2$ and type $(1,m,n)_4$ of PG(5, q) are quadric Veroneseans 286 (2004) 287–290
Žerovnik, J., see P. Šparl 283 (2004) 273–277
Zha, X., see M.D. Plummer 287 (2004) 171–175

Zhang, F., see X. Chen	282 (2004)	69– 79
Zhang, H., see F.E. Bennett	284 (2004)	45– 55
Zhang, K., see Y. Chen	290 (2005)	85– 87
Zhang, L. and B. Wu, Edge choosability of planar graphs without small cycles	283 (2004)	289–293
Zhang, P., see G. Chartrand	290 (2005)	133–143
Zhang, S., see H. Zhao	281 (2004)	277–294
Zhang, Y., see Y. Chen	290 (2005)	85– 87
Zhao, B., see X. Li	289 (2004)	71– 80
Zhao, H., X. Li, S. Zhang and R. Liu, On the minimum real roots of the σ-polynomials and chromatic uniqueness of graphs	281 (2004)	277–294
Zhao, H., see R. Liu	289 (2004)	175–179
Zhao, X., S. Ding and T. Wang, Some summation rules related to the Riordan arrays	281 (2004)	295–307
Zhao, Y.-K., see H.K. Hsiao	287 (2004)	35– 43
Zhong, N., see R.E.L. Aldred	287 (2004)	135–139
Zhu, X., see W. He	281 (2004)	209–219
Zhu, X., see M. Hosseini Dolama	283 (2004)	121–128
Zioło, I.A., see A. Görlich	286 (2004)	75– 77
Žitnik, A., see T. Pisanski	281 (2004)	237–246
Zwierzyński, K.T., see K.T. Balińska	286 (2004)	15– 24